

# INDEX MAPS.

**T. 31N, R. 6E. 2<sup>nd</sup> Mer.**

Meanders 518

	493		493		492		492		491		491
495	6	517	5	511	4	507	3	503	2	499	1 490
	517		516		511		507		503		499
495	7	516	8	510	9	506	10	502	11	499	12 490
	516		515		510		506		502		498
495	18	515	17	510	16	506	15	502	14	498	13 490
	515		514		509		505		501		497
494	19	514	20	509	21	505	22	501	23	497	24 489
	513		513		509		505		501		497
494	30	513	29	508	28	504	27	501	26	496	25 489
	512		512		508		504		500		496
494	31	512	32	508	33	504	34	500	35	496	36 489
	488		488		488		487		487		487

**T. R. Mer.**

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Township No 31 North of Range No 6 East 2<sup>nd</sup> Mer. Indiana. 187

South Boundary

- Note On South Boundary of Sec 36. Ewe S. 15 E.  
 45.00 Set a gr Sec post from which  
 a Beech 20 in. diam. bears N. 4 E 17 links dist. &  
 a White Wood 10 in. " " N 80 E W 40 " "  
 64.00 A Sugar 20 " " "  
 80.00 Set a Post Corner to Sec 35 & 36. from which  
 a B. Ash 10 in. diam. bears N 45 E 57 links dist. &  
 a Beech 10 " " " N 82 W 40 " "  
 Land level & rate. Timber. Oak. Ash. Elm.  
 Sugar. Spruce &c. Undergrowth same

- 
- Note On South Boundary of Sec 35  
 18.08 A W. Oak 24 in. diam.  
 29.00 Enter Tamarac Swamp.  
 41.00 Set a gr Sec post from which (in swamp.)  
 a Tamarac 6 in. diam. bears N 65 W 31 links dist. &  
 a Do 10 " " " N 58 E 30 " "  
 42.00 Leave the Swamp.  
 64.35 A Sugar 8 in. diam.  
 80.00 Set a post Corner to Sec 34 & 35. from which  
 a Sugar 18 in. diam. bears N 84 E 30 links dist. &  
 a Ironwood 9 in. " " N 14 W 18 " "  
 Land be same as last mile.

- 
- Note On South Boundary of Sec 34  
 20.09 A W Oak 20 in. diam.  
 37.00 Intersect the East margin of a Lake  
 Offset North 6.00  
 " Note 9.00 The Corner in Lake  
 South 6.00 Reduced Offset  
 46.00 Bell into line on the West side of Lake.  
 60.79 A W. Oak 10 in. diam.  
 80.00 Set a Post Corner to Sec 33 & 34 from which  
 a Beech 20 in. diam. bears N. 52 W. 36 links dist. &  
 a Ironwood 6 " " N. 73 E. 25 " "



## T 34 N. R 6 E 9th Mer. Indiana.

Land be much the same as last mile  
Marshy about Lake.

- 
- Note On South Boundary of Sec. 33  
 24.74 A White Wood 30 in. diam.  
 40.00 Set a gr. Sec. Post from which  
     a Buck 10 in. diam. bears N 63° W 22 links dist 8  
     a Lynn 12 " " " " N 30° E 26 " "  
 61.21 A W. Oak 24 in. diam.  
 69.50 Enter Wet Prairie  
 80.00 Set a Post Corner to Sec. 32 & 33 in Prairie from which  
     a W. Oak 12 in. diam. bears N 70° E 3.18 links dist 8  
     a Dr 11 " " " " N 36° E 3.71 " "  
 Land be much as before.

- 
- Note On South Boundary of Sec 33.  
 15.00 Leave Wet Prairie  
 22.70 An Elm 18 in. diam.  
 40.00 Set a gr. Sec Post from which  
     a Lynn 10 in. diam. bears N 68° E 8 links dist 8  
     an Elm 15 " " " " N 78° W. 26 " "  
 61.12 A W. Oak 8 " "  
 80.00 Set a Post Corner to Sec. 31 & 33 from which  
     a Buck 10 in. diam. bears N 21° W 9 links dist 8  
     an Elm 8 " " " " N 80° E 25 " "  
 Land be same as last mile.

- 
- Note On South Boundary of Sec 31.  
 18.09 A Cherry 8 in. diam.  
 37.00 Intersect the East Margin of a small Lake  
     North 4.00  
     Offset Note 7.50 gr. Sec Corner in Lake.  
     South 4.00 Reduced Offset.  
 44.50 Fall into line on the West side of Lake  
 62.43 Intersect the Range line 1.29 links North of Swamp  
     Swamp Corner Set a Post from which

T. H. N. R. O. E. 2<sup>nd</sup> Mer. Indiana. 189

an Elm 10 in. diam. bears S 65 E 38 links dist. &  
 a White Wood 22 in. " " N. 27 1/2 E 35 " "  
 Land gently rolling & 2<sup>nd</sup> rate Timber. Oak. Ash.  
 Elm. Ironwood. Boxwood & Thorn. Underg<sup>th</sup> same  
 Marshy about the Border of Lake.

East Boundary

North On East Boundary of Sec 36. var 5.50' E  
 18.75 An Elm 20 in. diam.  
 40.00 Set a q<sup>d</sup> Sec post from which  
 an Elm 9 in. diam. bears S 6. W 9 1/2 links dist. &  
 a Do 30 " " " N 4 W 1/4 92 " "  
 55.15 A Beech 10 in. diam.  
 58.00 Set a Post Corner to Sec. 25 & 30 from which  
 a Beech 9 in. diam. bears N 44 W 10 links dist. &  
 a Do 18 " " " S 58 W 25 " "  
 Land rolling & 1<sup>st</sup> rate Timber. Sugar. Beech. Elm  
 Oak & White Wood

North On East Boundary of Sec 25.  
 17.91 A Hickory 10 in. diam.  
 40.00 Set a q<sup>d</sup> Sec post from which  
 a Beech 12 in. diam. bears N 40 W 16 links dist. &  
 a Do 12 " " " S 30 W 12 " "  
 50.19 An Elm 18 " "  
 50.00 Set a Post Cor to Sec. 24 & 25 from which  
 a Beech 9 in. diam. bears N 10 W 28 links dist. &  
 a Do 9 " " " S 30 W 28 " "  
 Land & Timber same

North On East Boundary of Sec 24.  
 16.07 A Beech 20 in. diam.  
 40.00 To a Red Oak 14 in. diam. for q<sup>d</sup> Sec Corner  
 59.04 A Beech 18 " "  
 72.00 Enter Willow Swamp  
 80.00 Set a Post Corner to Sec. 13 & 24 in Swamp

T 31. N. R 6 E 2<sup>nd</sup> Mer. Indiana

from which  
 a Willow 14 in. diam. bears S 74 N 42 links dist. &  
 an Elm 4 " " " N 2 W 400 " "  
 Land &c same as last mile.

North On East Boundary of Sec 13.  
 22.00 Leave Willow Swamp.  
 22.84 A W Oak 10 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Buck 10 in. diam. bears N 25 W 32 links dist. &  
 a Boxwood 6 " " " S 13 W 30 " "  
 62.74 A W Oak 12 " "  
 68.00 Enter Willow Swamp.  
 80.00 Set a Post Corner to Sec. 13 & 13 from which  
 an Aspin 6 in. diam. bears N 43 W 43 links dist. &  
 a Do 15 " " " N 67 W 70 " "  
 Land Rolling & 2<sup>nd</sup> rate. Timber as before.

North On East Boundary of Sec. 12  
 1.00 Leave Willow Swamp & Enter Oak openings  
 24.83 A W Oak 18 in. diam.  
 39.00 Enter Wet Prairie  
 40.00 Set a gr. Sec post from which (in Prairie)  
 a W. Oak 10 in. diam. bears S 10 W 1.35 links dist. &  
 a Do 15 " " " S 2 1/2 E. 1.25 " "  
 52.00 Leave Wet Prairie  
 59.67 A W Oak 10 in. diam.  
 80.00 Set a Post Corner to Sec. 1. & 12 from which  
 a W Oak 7 in. diam. bears S 56 1/2 W 38 links dist. &  
 a Do 7 " " " N. 25 W 60 " "  
 Land level & 2<sup>nd</sup> rate. Timber. Oak.

North On East Boundary of Sec 1.  
 4.50 Enter Wet Prairie  
 24.00 Leave same  
 40.00 Set a gr. Sec post from which

# T 31 N. R. 6 E. 2nd Mer. Indiana.

1491

- W. Oak 20 in. diam. bears S 41 W 100 links dist. &  
 a Do 16 " " " N 69 1/2 W 100 " "  
 43.00 Enter Wet Prairie  
 52.00 Leave same "  
 63.33 A W. Oak 10 in. diam.  
 61.00 Set Temp. Iron Corner.  
 Land level & Marshy. soil 2<sup>nd</sup> rate Timber Oak.  
 Oct 22<sup>nd</sup> 1866

- North Boundary Var. 5.13' E
- West On South Boundary of Sec 35. T 32. R 6 E.  
 13.31 A W. Oak 18 in. diam.  
 35.47 A Spruce 16 " "  
 40.00 Set a q. Sec post from which  
 a Butternut 7 in. diam. bears N 61 1/3 E 52 links dist.  
 & a W. Ash 14 " " " N 69 W 20 " "  
 61.50 Enter Marsh  
 65.50 Leave same  
 69.05 A W. Oak 11 in. diam.  
 81.00 Set a Post Corner to Sec. 35 & 36. from which  
 a W. Oak 12 in. diam. bears N 29 1/2 E 16 links dist. &  
 a Do 10 " " " N 62 W 14 " "  
 Land Rolling & good soil, Timber Oak & Hick.  
 On East 61.00 Timber. S & W. Walnut. White  
 wood & Ash.

- West On South Boundary of Sec 35 T 32. R 6 E.  
 1.50 Enter Marsh  
 9.00 Leave same  
 35.81 A W. Oak 16 in. diam.  
 36.00 Enter Marsh  
 40.00 Set a q. Sec Post from which  
 a W. Oak 15 in. diam. bears N 60 1/2 E 19 links dist. &  
 a Do 24 " " " N 110 1/2 E 2.47 " "  
 53.50 Leave Marsh  
 58.81 Intersect the line between Ranges 6 & 7 E.



## T 31 N. R 6 E 2nd Mer. Indiana

- Town 31 North 16 chains & 25 links North of Temp<sup>l</sup>  
 Post. Set a Post Corner to Town 31 North of Ranges  
 6 & 7 East. from which  
 a W. Oak 16 in. diam. bears S 85 $\frac{1}{2}$  E 1. 28 links dist &  
 a Do 16 " " " S 89 $\frac{1}{2}$  W 160 " "  
 62 47 A W Oak 9 " "  
 77 52 A W Oak 8 " "  
 80 00 Set a Post Corner to Secs 34 & 35 from which  
 a W. Oak 14 in. diam. bears N 69 $\frac{1}{2}$  E 74 links dist &  
 a Do 13 " " " N 77 $\frac{1}{2}$  W 1. 18 " "  
 Land Rolling. Openings soil good. broken with  
 low places. Timber. Oak. & Hickory

- West On South Boundary of Sec 34 T 32 N. R 6 E.  
 13 44 A Hickory 11 in. diam.  
 27 40 A W Oak 14 " "  
 38 00 A Brook 10 links wide Course S W. sluggish.  
 40 00 Set a gr. Sec Post from which  
 an Elm 7 in. diam. bears N 82 E 75 links dist &  
 a W Oak 13 " " " N 52 W 168 " "  
 60 74 A W Oak 24 " "  
 79 00 Marsh  
 80 00 Set a Post Corner to Secs 33 & 34 from which  
 a W Oak 15 in. diam. bears N 60 $\frac{1}{2}$  E 1. 12 links dist &  
 a W Oak 18 " " " N 1 $\frac{1}{2}$  W 2. 24 " "  
 Land the same as last mile

- West On South Boundary of Sec 33 T 32 N. R 6 E.  
 10 00 Bare Marsh  
 17 00 Enter Marsh  
 31 00 Bare same  
 36 28 An Elm 14 in. diam.  
 40 00 Set a gr. Sec Post from which  
 a W. Oak 23 in. diam. bears N 42 $\frac{1}{2}$  E 71 links dist &  
 a Do 12 " " " N 32 W 45 " "  
 47 50 Road from Logansport to White Pigeon. Co. N. E.



# T 31. N. R 6 E 2<sup>nd</sup> Mer. Indiana. 493

57.00 Enter Marsh.

71.00 Leave same.

71.54 A Hickory 10 in. diam.

80.00 Set a Post Corner to Sec. 32 & 33 from which  
 a W. Oak 18 in. diam. bears N 30° E 48 links dist. &  
 a Y. Oak 21 " " " N 28° W 54 " "  
 Land &c same as last mile

West On South Boundary of Sec 32. T 32 N. R 6 E.

3.00 Enter Marsh.

10.00 Leave same

40.00 Set a qz Sec post from which  
 a W. Oak 9 in. diam. bears N 47° E 27 links dist. &  
 a D. 12 " " " N 34° W 58 " "

80.00 Set a Post Corner to Sec. 31 & 32 from which  
 a Swamp Oak 4 in. diam. bears N 80° E 18 lks dist.  
 & an Elm 12 " " " N 14° W 52 " "  
 Land &c similar. very brushy on the West p.

West On South Boundary of Sec 31 T 32 N. R 6 E.

1.00 A Brook 50 links wide. Course North.

32.79 A W. Oak 18 in. diam.

35.00 Enter Marsh

40.00 Set a qz Sec post, & Leave Marsh from which  
 a W. Wood 16 in. diam. bears N 41° E 8 links dist. &  
 a Hickory 13 " " " N 75° W 75 " "

54.50 Enter Marsh

65.00 Point of Land (dry) from the south

68.50 Leave same & Enter Marsh

75.83 Set a Post Corner to Town 32 North of Range 5 & 6  
 East. from which  
 a W. Oak 24 in. diam. bears N 72° W 20 lks dist. &  
 a B Gum 12 " " " N 50° W 2.40 " "  
 Land, mostly hilly opening Timber, W & Y Oak  
 & Hickory. Soil 2<sup>nd</sup> rate.

T31 N. R. 6. E. 2<sup>nd</sup> Mer. Indiana

## West Boundary var. 6. 10' E

- North On East Boundary of Sec 30. T31. N. R. 5 E.  
 25 71 A W. Oak 18 in. diam.  
 40. 00 Set a qz Sec Post from which  
 a W. Ash 10 in. diam. bears S 17 W 40 links dist. &  
 an Elm 15 " " " N 83 W 1. 26 " "  
 79. 05 A B. Ash 10 " "  
 80. 00 Set a Post Corner to Sec. 25 & 30. from which  
 a B. Ash 8 in. diam. bears S 58 W 70 links dist. &  
 a W. Oak 20 " " " N 63 W 41 " "  
 Land level & 1<sup>st</sup> rate. Timber mostly Oak,

- North On East Boundary of Sec 25 T31. N. R. 5 E.  
 15 55 South Margin of a Lake. Set a Post from which  
 a Maple 18 in. diam. bears S 82 E. 57 links dist. &  
 a W. Oak 12 " " " S 55 W 38 " "  
 Offset West 15 07. N.  
 " North 28 75 " qz Sec. Corner in Lake  
 " East 15 07 " Reduced Offset  
 44 30 Fell into line on North side of Lake  
 A W. Oak 10 in. diam. Corner on the North Margin  
 of Lake.  
 54. 40 A W Oak 30 in. diam.  
 78. 00 Left Oak Opening & Enter heavy timbered Land.  
 80. 00 Set a Post Corner to Sec. 24 & 25. from which  
 a W. Ash 9 in. diam. bears S 47 W 49 links dist. &  
 a Buck 9 " " " N 9 W 22 " "  
 Land the same as last mile

- North On East Boundary of Sec 24. T31. N. R. 5 E  
 18 18 A W. Wood 30 in. diam.  
 24. 00 Enter Swamp.  
 37 00 Leave the same.  
 40 00 Set a qz Sec Post from which  
 a B. Ash 8 in. diam. bears S 13 W 67 links dist. &  
 a " 6 " " " N 15 W 24 " "

# T 31. N. R. 6. E 2<sup>nd</sup> Mer. Indiana.

495

59.30 A Red Oak 18 in. diam.  
 80.00 Set a Post Corner to Sec. 13 & 24 from which  
 a Buckeye 10 in. diam. bears S 13 W 35 links dist. &  
 a W. Ash 10 " " " N 12 W 28 " "  
 Land be 1<sup>st</sup> rate. Timber. Oak. Ash Elm. Sycam.  
 Sugar. &c.

---

North On East Boundary of Sec. 13 T 31. N. R. 5 E.  
 24.37 A Sugar 20 in. diam.  
 40.00 Set a q<sup>r</sup> Sec post from which  
 an Ironwood 6 in. diam. bears S 18 W 23 links dist. &  
 a Sugar 20 " " " N 32 W 37 " "  
 58.19 A Buck 10 " "  
 80.00 Set a Post Corner to Sec. 12 & 13 from which  
 a W. Oak 10 in. diam. bears N 52 W 47 links dist. &  
 a Do 10 " " " S 28 W 52 " "  
 Land be same

---

North On East Boundary of Sec. 12. T 31. N. R. 5 E.  
 22.67 A W. Wood 18 in. diam.  
 35.00 Enter Willow Swamp  
 40.00 Set a q<sup>r</sup> Sec post from which  
~~40.00~~ an Aspin 18 in. diam. bears South 49 3 lks dist. &  
 a W. Oak 10 " " " N 1. W 10.22 " "  
 41.25 A Stream 6 links wide, Course West.  
 50.00 Leave the Swamp  
 62.73 A Sugar 24 in. diam.  
 80.00 Set a Post Corner to Sec. 1 & 12 from which  
 an Ironwood 6 in. diam. bears N 50 W 37 links dist. &  
 a W. Oak 8 " " " S 27 W 17 " "  
 Land be same as last mile

---

North On East Boundary of Sec. 1. T 31. N. R. 5 E.  
 24.30 An Elm 20 in. diam.  
 40.00 Set a q<sup>r</sup> Sec post from which  
 a Sugar 10 in. diam. bears S 62 W 10 links dist. &



T 31 N. R. 6. E 2<sup>nd</sup> Mer. Indiana.

50.23 a Beech 4 in. diam. bears N 17 W 29 links dist. -  
An Elm 18 " "

80 07 Set a Temp's Town Corner.

Land & Timber same as last mile

Oct 21<sup>st</sup> 1833.

Surveyed by  
Sylvester Hibley, D. S.

Subdivisions. var. 520' 6  
June 24<sup>th</sup> 1834

North Between Sec? 35 & 30?  
15 50 An Ash 32 in. diam.  
110.07 Set a 92 Sec Post from which an  
Iron rod 15 in. diam. bears S 38 W 6 links dist &  
a Beech 8 " " N 25 E 19 " "  
58 20 A Hickory 20 in. diam.  
60.07 Set a Post Corner to Sec? 25 26 35 & 30 from which  
an Beech 20 in. diam. bears S 58 E 11 links dist &  
an Do 24 " " N 80 W 48 " "  
Land Rolling & rich. Timber. Sugar. Oak. Ash. Elm.  
" " " " " "

East On Random between Sec? 25 & 30?  
50 50 Intersect the N & S line or East Boundary 167 links  
North of the Post.  
Land level. Very close Underbrush Timber. Elm.  
Maple. Elm. Sugar. Hickory. Beech &c.

West Corrected between Sec? 25 & 30?  
22 45 A Beech 22 in. diam.  
40 25 Set a 92 Sec post from which  
an Do Oak 50 in. diam. bears N 12 W 38 links dist and  
a Beech 12 " " S 21 E 18 " "  
63 30 A Do 12 " " "  
79 07 To the Corner.

North Between Sec? 25 & 26?  
20 80 A Hickory 24 in. diam.  
40.07 Set a 92 Sec post from which a

Comp. 1.

# T 31 N. R. 6. E. 2<sup>nd</sup> Mer. Indiana

497

- 40.00 Ash 12 in. diam. bears S 33 W 13 links dist. & an  
Elm 40 " " " N 29 E 42 " "
- 57.10 A W Oak 40 in. diam.
- 80.00 Set a Post Corner to Sec. 23. 24. 25 & 26 from which  
an Elm 24 in. diam. bears S 30 E 15 links dist. &  
an Ash 6 " " " N 8 W 12 " "
- Land level & 2<sup>nd</sup> rate.

- East On Random between Sec. 24 & 25.
- 50 40 Intersect the East Boundary 24 links North of  
the Post. Land gently rolling. Timber. Beech.  
Oak. Ash. Hickory. Elm. Sugar. Walnut. &  
Undergrowth Ironwood. Hickory. Beech. Ash. Elm.  
Spice. &c.

- West Connected between Sec. 24 & 25.
- 21.80 An Ash 12 in. diam.
- 40.20 Set a ga. Sec. Post at aver. dist. from which  
a Hickory 30 in. diam. bears S 59 E 14 links dist. &  
a Beech 20 " " " N 25 W 24 " "
- 62.57 A Beech 10 " "
- 80 40 To Sec. Corner.

- North Between Sec. 23 & 24
- 21.25 A Beech 20 in. diam.
- 40.00 Set a ga. Section Post. from which  
an Ash 10 in. diam. bears S 39 E 6 links dist. &  
a Spruce 8 " " " N 77 W 8 " "
- 68.80 A Beech 12 " "
- 80.00 Set a Post Corner to Sec. 13. 14. 23 & 24 from which  
a Beech 12 in. diam. bears N 23 E 15 the dist. &  
a Hickory 18 " " " S 57 W 12 " "
- Land & Timber same as last mile

- East On Random between Sec. 13 & 24
- 28.59 A Brook 12 links wide. Course S. E.



T 31. N. P. O. E. 2<sup>nd</sup> Mer. Indiana

80.70 Intersect the E. Boundary 36 links North of the Port  
Land. Rolling, interspersed with small Willows swamps  
Timber Oak. Underg<sup>t</sup>. Hazle, &c.

West Connected between Secs 13 & 24.

21.50 An Ash 20 in. diam.

40.35 Set a qz Sec post at aver. disty. from which  
a W. Oak 30 in. diam. bears N 5 E 22 lks dist &  
a D. 30 " " " S 2 W 16 " "

81.70 An Greenwood 10 in. diam.

80.70 To Sec. Corner. April 19<sup>th</sup> 1834

North Between Secs 13 & 14

21.58 A W Oak 24 in. diam.

40.00 Set a qz Sec post from which  
an Greenwood 13 in. diam. bears N 49 E 35 links dist  
& a Beech 25 " " S 3 W 04 " "

80.00 Set a Post Corner to Secs 11 12. 13 & 14 from which  
an Ash 11 in. diam. bears S 14 E 50 lks dist &  
a D. 20 " " N 34 W 30 " "

Land Rolling & poor. Timber mostly Oak, Hazle,

East On Random between Secs 12 & 13

10.00 Enter the Prairie

20.23 A Brook 15 links wide. Course N W.

21.00 Left Prairie

80.60 Intersect the E. Boundary 33 links North of Post.  
Poor Oak land. inclining to Barrens no Underg<sup>t</sup>.  
Hazle at the East End.

West Connected between Secs 12 & 13

21.61 A Lyan 30 in. diam.

40.30 Set a qz Sec post at aver. disty. from which  
a W. Oak 20 in. diam. bears N 11 W 18 links dist &  
a D. 24 " " S 1 E 13 " "

80.60 To Sec Corner. Apr 21<sup>st</sup> 1834.

# T 31. N. R. O. E. 2nd Mer. Indiana.

499

North Between Sec. 11 & 12.

17.04 N.W. Oak 20 in. diam.

20.00 Enter Prairie

40.00 Set a qz Sec post from which  
a W. Oak 24 in. diam. bears S. 47° W 2.35 links dist.  
& a Do 22 " " " N 51° W 2.94 " "

51.00 A Brook 40 links wide. Course N.W.

55.50 Left Prairie.

80.00 Set a Post Corner to Sec. 1. 2. 11 & 12. from which  
a W. Oak 30 in. diam. bears N 30° E 3.3 links dist. &  
a Do 30 " " " S 57° W 4.0 " "  
Upland Rolling & poor Oak Barrens. Prairie now  
A few Chains up the Creek there is pond of  
some Magnitude

East On Random between Sec. 1 & 2.

50.00 Enter Prairie

75.50 Left same

80.90 Intersect the E. Boundary 33 links North of the Post.  
Poor Oak Land inclining to Barrens. no Underg.  
except some Hazle at the East end.

West Connected between Sec. 1 & 2.

40.45 Set a qz Sec post from which

a W. Oak 22 in. diam. bears S 86° E 4.7 links dist. &

a Do 24 " " " S 73° W 6.2 " "

61.82 N.W. Oak 30 " "

80.90 To Sec Corner.

North Between Sec. 1 & 2. to line of Connection.

22.50 N.W. Oak 22 in. diam.

40.00 Set a qz Sec post from which

a W. Oak 6 in. diam. bears S 10° E 2.0 links dist. &

a Blk. Oak 20 " " " N 28° W 1.4 " "

50.00 Enter Prairie

60.00 Left same

T 31 N. R 6 E 9<sup>th</sup> Mer. Indiana.

- 59.50 A Black Oak 30 in. diam.  
 94.90 Intersect the line of Correction where made Cor.  
 to Sec 1 & 2. from which  
 an R. Oak 30 in. diam. bears S 14 W 83 links dist &  
 a Gr 50 " " " S 51 E 80 " "  
 Poor Oak land. Barrens.

A Trace runs nearly N & S on the East side of this  
 tier of Sections. is troubled somewhat by white savages  
 and is supposed to lead from Elk River to the Turkey-  
 Creek Prairie. was not noticed in time to note it in  
 the lines.

- North Between Sec 34 & 35.  
 17.90 An Elm 20 in. diam.  
 40.00 Set a qz Sec Post. from which  
 an R Oak 18 in. diam. bears S 8 W 17 links dist &  
 a Buck 11 " " " N 21 W 45 " "  
 60.33 A Spruce 24 " "  
 80.00 Set a Post Corner to Sec 26. 27. 34 & 35 from which  
 an Elm 15 in. diam. bears S 68 W 29 links dist &  
 an Ash 9 " " " N 85 E 34 " "  
 Sand level & rich. Timber. Buck. Ash. Oak & Spruce.  
 Hickory. Walnut. &c.

- East On Random between Sec 26 & 35.  
 79.55 Intersect the N & S line 4 links South of the Post.  
 Land & Timber as last described.

- West Corrected between Sec 26 & 35  
 15.30 A Buck 12 in. diam.  
 39.77 1/2 Set a qz. Sec Post at area dist. from which  
 an Elm 20 in. diam. bears S 56 W 12 links dist &  
 an R. Oak 12 in. " " S 40 E 9 " "  
 61.54 A W Oak 20 " "  
 79.55 To Sec. Corner.



North Between Sec. 26 & 27.

26.70 A W. Oak 24 in. diam.

40.00 Set a q. Sec. post from which  
a Beech 22 in. diam. bears S 6. E 45 links dist. &  
an Ironwood 10 " " " North 36 " "

63.00 A Beech 20 " "

80.00 Set a Post Corner to Sec. 22, 23, 26 & 27 from which  
an Ash 14 in. diam. bears S 20 W 25 links dist. &

a Do 24 " " " N 5 E 12 " "

Land gently rolling and rich heavy timbered Land.

East On Random between Sec. 23 & 26.

79.47 Intersect the N & S line 1.22 links North of the Post.  
Land & Timber same as last mile.

West Corrected between Sec. 23 & 26.

19.87 Ash 20 in. diam.

39.75 Set a q. Sec. post at over. dist. from which  
a Hickory 10 in. diam. bears S 37 W 6 links dist. &  
an Elm 7 " " " N 9 W 7 " "

61.47 A Cypripis 10 in. diam.

79.47 To Sec. Corner.

North Between Sec. 22 & 23

10.00 A Hickory 24 in. diam.

40.00 Set a q. Sec. post from which  
a Hickory 20 in. diam. bears N 24 W 3 links dist. &  
a Beech 8 " " " S 64 W 3 " "

61.45 A Poplar 36 " "

80.00 Set a Post Corner to Sec. 14, 15, 22 & 23 from which  
an Ironwood 10 in. diam. bears S 24 W 7 links dist. &  
a Poplar 22 " " " N 24 E 22 " "

Land rolling & good particularly on the 1/2 mile.

East On Random between Sec. 14 & 23

79.95 Intersect the N & S line. 2.82 links North of the Post.

T 31 N. R. 6. E 2<sup>nd</sup> Mer. Indiana.

Land rolling, inclining to Clay soil. & Oak Timber

Note Connected between Sec. 14 & 23.

- 39 9 7/8 Set a gp Sec post from which  
an Ash 12 in. diam. bears N 32 links dist &  
a Do 16 " " " " N 81 E 21 " "  
59.97 An R Oak 12 in. diam.  
79.95 To Sec Corner.

North Between Sec. 14 & 15.

- 20.70 A Sycamore 30 in. diam.  
40 00 Set a gp Sec post from which  
a W Oak 20 in. diam. bears N 2 E 19 links dist &  
a Do 24 " " " " N 7 E 38 " "  
64.45 A W Oak 28 " "  
80.00 Set a Post Corner to Sec. 10 11 14 & 15 from which  
a Hickory 6 in. diam. bears S 20 E 35 links dist &  
a Thorn 6 " " " " N 79 E 42 " "  
This post is in the South Margin of Prairie.  
South 1/2 mile good land. North 1/2 poor Oak timber

East On Road between Sec. 11 & 14.

1. 50 Enter wet Prairie  
37.50 Left same  
80.13 Intersect the N & E line 100 links North of Post.  
Oak Barrens

Note Connected between Sec. 11 & 14.

- \* 40 00 1/2 Set a gp Sec post at aver dist from which  
a Hickory 24 in. diam. bears N 75 W 10 links dist &  
a Do 22 " " " " N 70 E 40 " "  
\* 19.97 A Hickory 12 " "  
80.13 To Sec Corner. April 22<sup>d</sup> 1834

North Between Sec. 10 & 11.

- 82 15 A Hickory 12 in. diam.



- 40.00 Set a 2d Sec post from which  
 a W. Oak 12 in. diam. bears N 87 W 2.50 links dist &  
 a B. Oak 24 " " North 2 11 " "
- 50.90 A Hickory 24 " "
- 80.00 Set a Post Corner to Sec. 2, 3, 10 & 11. from which  
 a W. Oak 20 in. diam. bears N 1. W 1. 13 links dist, and  
 a D. 00 " " S 48 E 38 " "  
 Oak Burrens. poor land.

- 
- East On Random between Sec. 2 & 11.
- 4.50 Enter Prairie
- 25.00 A Brook 50 links wide Course N W. Sluggish Deep &  
 mirey
- 37.00 Left the Prairie
- 79.80 Intersect the N & S line 148 links North of the East.  
 Land poor. no Underbrush. Timber Oak.

- 
- West Connected between Sec. 2 & 11.
- 20.20 A Hickory 24 in. diam.
- 39.90 Set a 2d Sec post at aver. dist from which  
 a B. Oak 20 in. diam. bears S 61 E 61 links dist &  
 a W. Oak 18 " " N 18 W 24 " "
- 79.80 To Sec Corner.

- 
- North Between Sec. 2 & 3 to line of Connection.
- 22.00 A B. Oak 12 in. diam.
- 24.00 To the West shore of a Lake. perhaps 10 chains wide  
 and almost round.
- 40.00 Set a 2d Sec post from which  
 a W. Oak 24 in. diam. bears S 21 E 27 links dist &  
 a Hickory 20 " " N 58 W 23 " "
- 50.00 A Brook 15 links wide. Course S W.
- 68.20 A W. Oak 24 in. diam.
- 91.30 Intersect the line of Connection where made Corner  
 to Sec. 2 & 3. from which  
 a W. Oak 20 in. diam. bears S. 29 W. 1.55 links dist &

T 31. N. R 6 E 2<sup>nd</sup> Mer. Indiana

a W. Oak 12 in. diam. bears S 21 E 1. 80 links dist. -  
Oak Barrens.

North Between Sec. 33 & 34

3. 00 Enter Tamarac Swamp.

15. 00 A Pond.

40. 00 Set a q. Sec. post from which

a Tamarac 10 in. diam. bears S 56 E 25 links dist. &

" Do 15 " " " S 84 W 36 " "

56. 55 A Tamarac 8 " "

58. 00 Enter Wet Prairie & Left swamp.

73. 50 Left same.

80. 00 Set a Post Corner to Sec. 27 28. 33 & 34 from which

a W. Oak 40 in. diam. bears S 26 W 34 links dist. &

a Ironwood 10 " " S 24 E 40 " "

Land & Timber not described.

East On Random between Sec. 27 & 34

80. 40 Intersect the N & S line 1. 50 links North of the Post.  
Land 2<sup>nd</sup> rate Timber. Buck. Poplar. Oak. Sugar.  
and Hickory.

West Connected between Sec. 27 & 34

17 80 An Ash 30 in. diam.

40. 20 Set a q. Sec. post at over. dist. from which

a W. Oak 30 in. diam. bears N 3 E 75 links dist. &

a Hickory 10 " " S 42 W 36 " "

59. 68 A W. Oak 15 " "

60. 40 To Sec. Corner.

North Between Sec. 27 & 28

7. 20 A W. Oak 24 in. diam.

9. 50 Enter Wet Prairie

13. 25 A Brook 6 links wide Course N. E.

37. 50 Left Prairie

40. 00 Set a q. Sec. post from which

# T<sup>31</sup> N. R. O. E. 2<sup>nd</sup> Mer. Indiana.

505

a W. Oak 24 in. diam. bears S 1 E 34 links dist. &  
 a Do 30 " " " N 33 W 38 " "  
 50.50 A W. Oak 22 " "  
 80.00 Set a Post Corner to Sec. 21. 22. 27 & 28 from which  
 a Poplar 23 in. diam. bears N 79 W 19 links dist. &  
 a Do 23 " " " N 74 E 30 " "  
 Poor land. inclining to Barrens. Timber Oak.

---

East On Random between Sec. 22 & 27  
 10.11 A Brook 12 links wide. Course N E.  
 38.10 A Do 6 " " " North.  
 80.45 Intersect the N & S line 1.58 links North of the Post.  
 Land Rolling & 2<sup>nd</sup> rate.

---

West Connected between Sec. 22 & 27.  
 20.54 A Hickory 24 in. diam.  
 140.22 1/2 Set a q<sup>r</sup> Sec post at area dist. from which  
 a Buck 11 in. diam. bears N 45 W 16 links dist. &  
 a Do 19 " " " S 31 E 40 " "  
 80.45 To Sec Corner. April 23<sup>rd</sup> 1834.

---

North Between Sec. 21 & 22.  
 14.90 A Brook 15 links wide. Course West.  
 37.40 A Hickory 24 in. diam.  
 140.00 Set a q<sup>r</sup> Sec post from which  
 an Elm 22 in. diam. bears S 24 E 33 links dist. &  
 a Do 10 " " " N 42 W 8 " "  
 06.00 A Poplar 24 " "  
 80.00 Set a Post Corner to Sec. 15 16 21. & 22 from which  
 an H. Oak 20 in. diam. bears S 15 E 24 links dist. &  
 a Poplar 15 " " " N 54 W 16 " "  
 Land Rolling. Timber Oak. some millen swamp.

---

East On Random between Sec. 15 & 22.  
 80.00 Intersect the N & S line 16 links North of the Post.  
 East 1/2 mile. good Land.



## T 31 N. R 6 E 2nd Mer. Indiana

West Connected between Sec. 15 & 22.  
 19 60 A Spruce 24 in. diam.  
 10 00 Set a q. Sec Post from which  
 an W. Oak 30 in. diam. bears N 67 E 41 links dist. &  
 an Ash 20 " " S 26 W 10 " "  
 59. 40 A W. Oak 30 " "  
 80. 00 To Sec. Corner.

North Between Sec. 15 & 16.  
 15 40 An Elm 24 in. diam.  
 16 00 Set a q. Sec Post from which  
 an R. Oak 12 in. diam. bears S 77 E 19 links dist. &  
 an Elm 20 " " S 84 W 18 " "  
 52. 00 An Elm 20 " "  
 80. 00 Set a Post Corner to Sec. 9 10 15 & 16 from which  
 an Ash 20 in. diam. bears N 22 W 12 links dist. &  
 a P. 15 " " S 54 E 8 " "  
 North 1/2 mile good Sand. Timber to correspond.

East On Randem between Sec. 10 & 15.  
 37. 00 Enter Wet Prairie  
 54. 50 A Brook 12 links wide. Course N W.  
 79. 00 Intersect the N & S line 50 links North of the Post.  
 Sand poor. Timber Oak. no Undergrowth except some  
 Huckle. Part however is good Sand.

West Connected between Sec. 10 & 15.  
 39. 80 Set a q. Sec Post at aver. dist. from which  
 an R. Oak 20 in. diam. bears S 37 W 1. 84 links dist. &  
 an Elm 12 " " S 88 W 1. 33 " "  
 58 50 An Ash 12 " "  
 79 60 To Sec. Corner

North Between Sec. 9 & 10  
 25. 12 A W Oak 50 in. diam.  
 30. 00 Enter Wet Prairie

# T. A. R. O. & Co. Indiana.

507

- 46.00 Set a gr. Sec post from which  
a W. Oak 30 in. diam. bears S 53 W 73 links dist. &  
a Dr 12 " " " N 71 W 130 " "  
near a parcel of Timber.
- 57.50 Left Prairie
- 59.50 A W. Oak 30 in. diam.
- 70.00 Enter Prairie
- 80.00 Set a Post Corner to Sec. 3 & 4 9 110 from which  
a W. Oak 24 in. diam. bears N 83 E. 284 links dist. &  
a Hickory 10 " " " N 44 W 5.45 " "  
No Description of Land.

---

East On Random between Sec. 3 & 10.

- 2.50 Left Prairie
- 7.00 Enter Dr
- 28.00 Left same
- 35.00 A Brook 15 links wide. Course N W.
- 79.55 Intersect the N. & S. line 25 links North of the Post.  
These skirts of Prairie are so numerous & irregular  
as to make it impossible to delineate them with  
much accuracy on the diagram.

---

West Corrected between Sec. 3 & 10

- 22.25 An Ash 24 in. diam.
- 39.77 Set a gr. Sec post at aver. dist. from which  
a Hickory 20 in. diam. bears N 38 E 35 links dist. &  
a Dr 24 " " " S 23 E 54 " "  
79.55 To Sec. Corner.

---

North Between Sec. 3 & 4

- 5.40 Left Prairie
- 20.00 A W. Oak 40 in. diam.
- 40.00 Set a gr. Sec post. from which  
a B. Oak 28 in. diam. bears S 20 E 40 links dist. &  
a W. Oak 20 " " " N 43 W 93 " "  
55.00 A Brook 30 links wide. Course N W.



T. A. B & E. 2<sup>nd</sup> Mer. Indiana

- 73.54 A B. Oak 24 in. diam.  
 87.40 Intersect the line of Connection 1290 links West of a  
 gr. Sec post. where made. Corner to Secs 3 & 4. from which  
 a Hickory 20 in. diam. bears S 3 E 70 links dist. &  
 a B. Oak 8 " " " S 61 W 75 " "  
 No description of Land. Apr. 24<sup>th</sup> 1834.

North Between Secs 32 & 33.

5. 00 Left Prairie  
 18. 50 A Cherry 15 in. diam.  
 40. 00 Set a gr. Sec post. from which  
 an Ash 20 in. diam. bears N 4 E 23 lks dist. &  
 a D. 22 " " " S 54 W 19 " "  
 62. 50 An B. Oak 36 in. diam.  
 80. 00 Set a Post Corner to Secs 28, 29, 32, & 33. from which  
 a W. Oak 30 in. diam. bears N 56 E 60 links dist. &  
 an B. Oak 18 " " " N 56 W 87 " "  
 Land poor Oak Barren. Hazel. &c.

East On Random between Secs 28 & 33

- 59.25 Enter Prairie  
 74.25 Left same.  
 79.25 Intersect the N. & S line 1.84 links South of Post.  
 Land not described.

West Connected between Secs 28 & 33.

- 22 00 A W. Oak 22 in. diam.  
 39 02 1/2 Set a gr. Sec post. at aver. dist. from which  
 an Ash 12 in. diam. bears N 46 W 40 lks dist. &  
 a W. Oak 28 " " " S 26 E 67 " "  
 59. 00 A Poplar 12 " "  
 79 25 To Sec. Corner.

North Between Secs 28 & 29

16. 50 An Elm 15 in. diam.  
 40. 00 Set a gr. Sec post. from which

T 31. N. B. C. E 2nd Mer. Indiana.

509.

an Elm 12 in. diam. bears S 58 E 45 links dist. &  
 a B. Oak 20 " " " S 43 W 74 . . .  
 58.12 A W. Oak 60  
 81.00 Set a ~~gr~~ <sup>co to " 20, 21, 28 & 7</sup> Sec. post from which  
 an Ash 26 in. diam. bears S 55 E 20 links dist. &  
 a Walnut 17 . . . N 55 W 8 . . .  
 Land level. South  $\frac{1}{2}$  mile 2nd rate. North  $\frac{1}{2}$  mile  
 inclining to West.

---

East On Random between Sec. 21 & 28.  
 79.25 Intersect N & S line 1. 23 links South of the Post.  
 Land level & 2nd rate. Timber. Oak. Hickory. Buck.  
 Poplar. Ironwood. Dogwood. Elm. &c.

---

West Connected between Sec. 21. & 28.  
 18 64 A W Oak 36 in. diam.  
 59.62 Set a gr Sec. post at aver. dist. from which  
 a Poplar 24 in. diam. bears S 30 E 29 links dist. &  
 a Buck 20 " " " N 59 W 18 . . .  
 59 49 A Buck 20 . . .  
 79.25 To Sec. Corner.

---

North Between Sec. 20 & 21.  
 15 40 A W. Oak 10 in. diam.  
 40.00 Set a gr Sec. post from which  
 a Hickory 16 in. diam. bears S 9 E 17 links dist. &  
 an Ironwood 6 . . . " " " N 26 E 10 . . .  
 55.10 A Buck 30 . . .  
 80.00 Set a Post Corner to Sec. 16. 17 20 & 21. from which.  
 a Buck 11 in. diam. bears S 16 W 17 links dist. &  
 a D. 24 . . . " " " N 7 E 22 . . .  
 Land rolling & good. Timber as before.

---

East On Random between Sec. 16 & 21.  
 17 50 A Brook 15 links wide. Course N W  
 79 00 Intersect the N & S line 23 links North of Post.

## T 31. N. R 6 E 2nd Mer. Indiana

Land Rolling & good. Timber, Oak. Poplar. Beech  
Sugar. Walnut. Hickory. &c.

West Corrected between Sec? 16 & 21.

19 70 A Beech 20 in. diam.

39 30 Set a gp. Sec post at aver. dist. from which  
an Ash 11 in. diam. bears S 70 E 12 links dist &  
a Hickory 9 " " " S 70 W 22 " "

79.00 To Sec. Corner.

North Between Sec? 16 & 17

17.00 A Brook 20 links wide Course N W

23 18 An Ash 20 in. diam.

40.00 Set a gp. Sec post. from which  
a Beech 14 in. diam. bears N 82 E 21 links dist &  
a Ch 10 " " " N 27 W 17 " "

57.50 An Ash 20 " "

80.00 Set a post Corner of Sec? 8. 9. 16 & 17 from which  
a W. Oak 10 in. diam. bears N 54 W 39 links dist &  
an Ash 20 " " " S 48 E 5 " "  
Land Rolling & 2nd rate. Timber same as last mile

East On Random between Sec? 9 & 10.

79 50 Intersect the N & S line 60 links South of the Post.  
Land good 2nd rate. Heavy timbered. Walnut Beech.  
Sugar. Spice. Pawpaw. Ironwood. Hickory. Elm. &c.

West Corrected between Sec? 9 & 10.

19.29 A Beech 10 in. diam.

39 75 Set a gp. Sec post from which  
a Beech 20 in. diam. bears N 55 E 27 links dist &  
an Ironwood 9 " " " S 78 W 25 " "

59.79 A Beech 11 " "

79.50 To Sec. Corner.

April. 25<sup>th</sup>. 1834.

North Between Sec? 8 & 9.



- 31 30 An Elm 30 in. diam.  
 40. 00 Set a 92 Sec post from which  
 an Aspen 11 in. diam. bears S 21 E 40 links dist. &  
 a W. Oak 11. " " " N. 148 W 90 " "  
 55. 70 A D. 60 " "  
 58. 00 Set a Post Corner to Sec. 4. 5. 8 + 9 from which  
 an Elm 19 in. diam. bears S. 60 E 40 links dist. and  
 a D. 11 " " " S. 20 W 55 " "  
 South 1/2 mile good Land. North 1/2 interspersed with  
 swamps & small necks of wet Prairie

- East. On Randon between Sec. 4. & 9.  
 25. 00 Intersect a Lake which we pass by an Offset at right  
 angles. to the North  
 54. 00 Left the Lake  
 79 45 Intersect the N & S line 22 links North of the Post.  
 Land West of the Lake is good. The Lake is beautiful  
 Clear water. Sandy firm Bottom

- West. Connected between Sec. 11 & 9  
 20 45 Set a Post on the East side of Lake Corner to Sec. 4 & 9.  
 from which  
 an Elm 26 in. diam. bears N 52 E 11 links dist. &  
 a Sycamore 12 " " " N 68 W 60 " "  
 54. 45 Made Corner on the West side of the Lake. where  
 a W. Oak 20 in. diam. bears S 15 E 17 links dist. &  
 a D. 30 " " " N 35 E 40 " "  
 79 45 To Sec Corner,

- North Between Sec. 4. & 5.  
 5. 30 A W Oak 24 in. diam.  
 13 00 Enter Wet Prairie  
 40. 07 Set a 92 Sec post from which  
 a Burr Oak 30 in. diam. bears N 3 W 340 links dist. &  
 a D. 30 " " " N 43 E 268 " "  
 43 00 Left Prairie

T. 31. N. R. 6 E 2<sup>nd</sup> Mer. Indiana.

- 110.30 A Hickory 10 in. diam.  
 55.20 Intersect the line of Connection. where made Corner  
 to Sec. 4 & 5 from which  
 a W. Oak 20 in. diam. bears S 61 W 63 links dist. &  
 a Do 12 " " " S 70 E 39 " "  
 Aspin Barrens. Oak Timber. no Undergrowth  
 Poor Land. Apr. 26. 1884.

- North Between Sec. 31 & 32  
 13 70 A Brook 10 links wide Course West  
 20 50 A Hickory 12 in. diam.  
 40.00 Set a gr. Sec. post from which  
 an R. Oak 40 in. diam. bears North 32 links dist. &  
 an Ash 9 " " " S 6 E 50 " "  
 58 50 A Poplar 20 " "  
 80.00 Set a Post Corner to Sec. 29 30. 31 & 32. from which a  
 Poplar 30 in. diam. bears S 88 E 34 links dist. and a  
 Ironwood 10 " " " S 73 W 53 " "  
 South 1/2 mile poor. North 1/2 2<sup>nd</sup> rate, heavy timber.  
 Timber. Oak. Buck Ash. Sugar Elm. Poplar. &c

- East On Random between Sec. 29 & 32.  
 80 40 Intersect N & S line 10 links North of the Post.  
 Land 2<sup>nd</sup> rate.

- West Connected between Sec. 29 & 32.  
 12.80 A W. Oak 28 in. diam.  
 40.20 Set a gr. Sec. post at aver. dist. from which  
 a W. Oak 12 in. diam. bears S 68 E 54 links dist. &  
 a Poplar 24 " " " S 71 W 21 " "  
 65.60 An Elm 24 " "  
 80.40 To Sec. Corner.

- West On Random between Sec. 30 & 31.  
 64.20 Intersect the West Boundary 2.50 links North of Post  
 Land on the East 1/2 mile good.

East Connected between Sec. 30 & 31.

At the Corner on West Boundary made Cor. to Sec. 30 & 31

an Ash 12 in. diam. bears S 21 E 27 links dist. &

an Elm 12 " " " N 62 E 65 " "

8. 10 A Walnut 21 in. diam.

24. 20 Set a gr. Sec. Post. from which (in swamp).

an Elm 18 in. diam. bears East 90 links dist. &

an Aspen 16 " " " N 86 W 2. 30 " "

64. 20 To Sec. Corner,

North Between Sec. 29 & 30

11. 00 A Bush 16 in. diam.

40. 00 Set a gr. Sec. Post from which

a W. Oak 20 in. diam. bears N 30 E 35 links dist. &

a Do 14 " " " S 17 W 32 " "

58. 55 A Hickory 22 in. diam.

80. 00 Set a Post Corner to Sec. 19, 20, 29 & 30. from which

an Ash 18 in. diam. bears N 6 E 34 links dist. &

a Do 12 " " " S 6 E 32 " "

Land 2<sup>nd</sup> rate. Timbered.

East On Random between Sec. 20 & 29.

79. 50 Intersect N & S line 2. 50 links North of the Post.

Land & Timber as before

West Connected between Sec. 20 & 29

39. 90 Set a gr. Sec. Post from which. (at aver. dist.)

an Elm 12 in. diam. bears N 29 W 55 links dist. &

an R. Oak 26 " " " S 5 E 35 " "

79. 80 To Sec. Corner.

West On Random between Sec. 19 & 30

63. 30 Intersect the N & S line or West Bound. 3. 00 links South of the Post.

Land rather inclining to West



## T 31 N. R 6 E. 2nd Mer. Indiana

East Corrected between Sec. 19 & 20  
 At the Corner on West Boundary Set Post Corner  
 to Sec. 19 & 20 from which  
 a W. Oak 40 in. diam. bears S 50 E 15 links dist &  
 an Ironwood 8 " " " N 40 E 29 " "  
 23. 31 Set a gr. Sec. post on the true line from which  
 a Hickory 22 in. diam. bears N 86 W 14 links dist &  
 an Ash 10 " " " S 86 E 16 " "  
 53. 16 A W. Oak 20 " "  
 63. 31 To Sec. Corner.

North Between Sec. 19 & 20.  
 19. 70 A Buck 12 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a Buck 20 in. diam. bears S 79 E 12 links dist &  
 a Buck 14 " " " S 20 W 31 " "  
 Land good 2nd rate. Timber as before.  
 40. 50 A Brook 7 links wide. Course N W.  
 54. 90 A Poplar 26 in. diam.  
 81. 00 Set a Post Corner to Sec. 17 18. 19 & 20 from which  
 an Elm 28 in. diam. bears S 11 E 10 links dist &  
 a Buck 11 " " " N 24 E 21 " "  
 Land good 2nd rate. Timber as before.

East On Random between Sec. 17 & 20  
 80 20 Intersect N & E line 50 links North of the Post.  
 Poor 2nd rate Land. East 1/2 mile very Brushy.  
 Timber Ironwood. Buck. Dogwood. Hickory.  
 Water Buck. &c.

West Corrected between Sec. 17 & 20.  
 20 30 An Elm 18 in. diam.  
 40 10 Set a gr. Sec. post at area dist. from which  
 a W. Oak 24 in. diam. bears S 86 W 31 links dist &  
 a Dr 24 " " " N 76 E 31 " "  
 67. 93 A Poplar 26 " "

80 20 To Sec. Corner.

West On Random between Secs 18 & 19. June 24<sup>th</sup> 1833  
 21.70 A Buck 10 links, Northw. Course.  
 64.21 Intersect the West Boundary 5 links North of Post.  
 Land Poor. Inmate. East 1/2 mile some Wet Prairie  
 & Willow Swamps.

East Connected between Secs 18 & 19  
 At Corner of Secs 18 & 19 on the West Boundary, where  
 an Elm 12 in. diam. bears S 49 E 15 links dist. and  
 a Dr 10 " " " N 59 E 50 " "  
 24.21 Set a 2<sup>nd</sup> Sec. post on true line, from which  
 a W. Oak 18 in. diam. bears S 41 E 7 links dist. and  
 a Dr 14 " " " N 03 E 9 " "  
 38.89 A W. Oak 15 " "  
 64.21 To Sec. Corner

North Between Secs 17 & 18  
 18.65 A Poplar 18 in. diam.  
 40.00 Set a 2<sup>nd</sup> Sec. post, from which  
 a Buck 11 in. diam. bears S 30 W 23 links dist. &  
 a Dr 12 " " " N 25 E 23 " "  
 52.00 An Ash 26 " "  
 80.00 Set a Post Corner to Secs 7, 8, 17 & 18 from which  
 an Ash 21 in. diam. bears S 79 E 43 links dist. &  
 a Buck 22 " " " S 87 W 29 " "  
 Land Inmate. Timber as before.

East On Random between Secs 8 & 17  
 49.85 A Buck 10 links wide. Course S. W.  
 81.35 Intersect the N & E line at Post.  
 Land & Timber as last described.

West Connected between Secs 8 & 17  
 20.55 An Ironwood 12 in. diam.

## T. B. A. B. O. E. Dr. Mer. Indiana.

16 17 1/2 Set a gr. Sec. post at aver. dist. from which  
 a Beech 10 in. diam. bears S 87 E 25 links dist. &  
 a Spruce 15 " " " S 71 W 13 " "  
 09.35 A Beech 24 in. diam.  
 50.35 To Sec. Corner June 22<sup>d</sup> 1834.

West On Random between Sec. 7 & 18.  
 43.50 A Brook 12 links wide. Course N.W.  
 04.21 Intersect the West Boundary 2.17 links South of Post  
 Land good & note.

East Corrected between Sec. 7 & 18  
 At Corner on the West Boundary. made Corner  
 to Sec. 7 & 18. from which  
 a W. Oak 14 in. diam. bears S 25 E 15 links dist. &  
 a Do 12 " " " N 80 E 13 " "  
 24.21 Set a gr. Sec. post on true line from which  
 a Walnut 14 in. diam. bears N. 74 E 14 links dist. &  
 a Beech 12 " " " S 38 W 13 " "  
 40.25 A Sugar 12 " "  
 04.21 To Sec. Corner.

North Between Sec. 7 & 18.  
 9.21 A Poplar 30 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Beech 20 in. diam. bears S 30 W 37 links dist. &  
 a Buckeye 12 " " " N 49 E 19 " "  
 55.00 A Brook 15 links wide. Course  
 06.20 A W. Oak 14 in. diam.  
 80.00 Set a Post Corner to Sec. 5 & 6. 7 & 18 from which  
 a W. Oak 24 in. diam. bears S 10 E 6 links dist. &  
 a Do 22 " " " West 3 " "  
 Land & Timber as before.

East On Random between Sec. 5 & 8.  
 79.45 Intersect the N & S line 1.23 links South of the Post



# 517

## T. M. N. P. O. Co 2nd Mer. Indiana.

Land & Timber as before.

West Corrected between Sec. 5 & 8  
 19 25 A W. Oak 24 in. diam.  
 39. 72 1/2 Set a gr. Sec. post at area. dist. from which  
 an Elm 14 in. diam. bears N 3 W 8 links dist. &  
 an Ash 8 " " " South 0 " "  
 A Walnut 12 in. diam.  
 79. 45 To the Corner.

West On Random between Sec. 6 & 7.  
 25. 80 A Brook 20 links wide. Course N W  
 43. 13 A Do 20 " " " S W  
 52. 00 A Do. 20 " " " N W  
 65. 10 Intersect West Boundary at Post.  
 Very close Underbrush. Heavy timber.

East Corrected between Sec. 6 & 7.  
 At Corner on West Boundary Made Corner to Sec.  
 6 & 7. from which  
 a Spruce 10 in. diam. bears S 80 E 18 links dist. &  
 an H. Oak 15 " " " N 30 E 10 " "  
 25 10 Set a gr. Sec. post on true line. from which  
 an Elm 14 in. diam. bears S 45 E 23 links dist. &  
 a Sugar 15 " " " N 30 W 44 " "  
 54 15 N. W. Oak 20 " "  
 65. 10 To the Corner.  
 No Description of Land.

North Between Sec. 5 & 6.  
 20 80 An H. Oak 30 in. diam.  
 40 00 Set a gr. Sec. post. from which  
 a Poplar 10 in. diam. bears N 41 E 9 links dist. &  
 an Elm 12 " " " S 25 E 20 " "  
 60. 30 An Elm 20 " "  
 91. 00 Intersect the line of Correction, where made Corner

T31 N. R6 E 2<sup>nd</sup> Mer. Indiana.

to Sec. 5 & 6 from which  
 an Elm 20 in. diam. bears S 36 E 56 links dist. &  
 a Poplar 12 " " " S 13 W 00 " "  
 Land 2<sup>nd</sup> rate. Heavy timber & close Underbrush

Meanders of a Lake in Sec. 4 & 9. but mostly in  
 the 9. T31 N. R6 E.

Commencing at the Corner of Sec. 4 & 9. On the  
 West Margin of Lake 25 chains East of the Corner  
 for Sec. 4. 5. 8. & 9. Thence in Sec 4.

Courses	Distances	Remarks.
N 32 E	5.00	Along Lake Shore
N 70 E	14.00	
S 72 E	15.00	At 13.00 An Outlet 10 links wide Cor. North.
S 57 E	4.90	To Corner on line between Sec. 4 & 9. Thence

S 50 E	4.00	On Sec 9.
S 31 E	14.00	
South	10.00	
S 13 W	19.00	
S 87 W	6.00	
N 67 W	6.00	
N. 42 W	23.00	
N 49 W	11.00	
North	14.00	To place of Beginning June 22 <sup>d</sup> 1834

Meanders of a Lake in Sec 30. T31 N. R6 E.  
 Beginning at the Corner on the South side of Lake.  
 On the Range line between Ranges 5 & 6 in Sec 30.

N 79 E	42.00	At 33. No. Prairie 10.00 wide
N 27 E	5.50	
N 11 W	11.00	
N 81 W	15.00	
N 58 W	5.50	
West	6.00	
S 68 W	11.50	

# Township R. 6. E. 2<sup>nd</sup> Mer. Indiana.

519

N 70° W 6.14 To the Corner on Range line North side of Lake.

Meanders of Lake in Sec 3. Beginning at the  
op Sec Corner on the line between Sec 3 & 4 Thence  
N 38° E 11.51 to Lake.

N 12° W 10.00

N 47° E 5.00 At 75 links An Outlet 1.50 links wide. Cut N.

N 45° E 5.00 }

N 80° E 8.00 } White Oak Banks.

S 75° E 11.50

S 31° E 14.00 At 11.00 An Inlet 100 links wide. from S.E.

S 45° W 17.00 At 14.25 An Inlet 12 " " " S.E.

W 16 12.50

N 55° W 7.50 To place of Beginning

Surveyed by  
John Hendricks J.S.

This Township Compared with the Country generally  
may be considered one of fine Land. It is less in-  
terrupted with swamps & Marshy Prairie. bears a  
heavy luxuriant growth of Timber well suited  
to its future improvement.



T 31 N R 6 E 2<sup>nd</sup> Mer. Indiana.

I hereby Certify that in Pursuance of a Contract with Micajah T. Williams, Surveyor General of the United States for the States of Ohio, Indiana, and the Territory of Michigan, bearing date the 27<sup>th</sup> day of December 1833, and in good Conformity to the Laws of the United States and the instructions of said Surveyor General, I have Surveyed and subdivided into Sections, Township No 31 North of Range No 6 East of the 2<sup>nd</sup> Mer. in the State of Indiana, and I do further Certify that the foregoing are the true and manly, the Original field Notes of the said survey and subdivisions executed as aforesaid Certified this 24<sup>th</sup> day of June 1834.

John Hendricks.  
Dep. Surveyor.

William Cook  
William Fulton Chainmen

Abram T. Hendricks & Markers.

I Certify that the foregoing Transcript of the Field-Notes of Township No 31 North of Range No 6 East of the 2<sup>nd</sup> Mer. in the State of Indiana, has been compared with the Original Notes in this Office and found to be Correct.

Surveyor General Office.

Cincinnati Feb<sup>y</sup> 22<sup>d</sup> 1843.

William Johnston  
Sur. Genl.

Compd.